

EU TYPE-EXAMINATION CERTIFICATE

Regulation (EU) 2016/425, MODULE B

0598/PPE/26/1926 Issue 1

Product Safety footwear

Model HALF KNEE BOOT: M-8577BK, M-8577BR, M-8577YE,
ANKLE BOOT: M-8025NBKLG, M-8025NBLG, M-8025NBYLG.

Trademark safetoe

Certificate Holder / Manufacturer Shanghai Langfeng Industrial Co.,Ltd
Room 905, Bulding 2, AT1, Jibei Road 117, Shanghai, China

Product complies with the applicable essential health and safety requirements of Regulation (EU) 2016/425 and standard(s) mentioned below

Standard(s) EN ISO 20345:2022 + A1:2024 (Personal protective equipment – Safety Footwear), Class I footwear, with a performance category of S3, with additional applications: SR FO CI HI HRO SC

Validity This certificate is valid until 2031-06-17.


Date of issue 2026-06-17

SGS Fimko Oy

Signature



SGS Fimko Oy is a Notified Body (0598) according to the Personal Protective Equipment Regulation (EU)



Additional information

- a) Safetoe (logo) M-8577BK safety half knee boot, design C, comprising of black cow leather upper, black polyester oxford mesh collar and tongue, MR459 steel toecap, A01(CODE 2656) steel plate penetration resistance insert, black TPU scuff cap, black polyester sandwich mesh vamp lining, quarter lining, counter lining, collar lining and tongue lining, polyester non-woven insole, black polyester mesh and EVA insock, PU/rubber sole, lace up closure, sewn with nylon thread, available in size range: EU 37-47;
- b) Safetoe (logo) M-8577BR safety half knee boot, design C, comprising of brown cow leather upper, black polyester oxford mesh collar and tongue, MR459 steel toecap, A01(CODE 2656) steel plate penetration resistance insert, black TPU scuff cap, black polyester sandwich mesh vamp lining, quarter lining, counter lining, collar lining and tongue lining, polyester non-woven insole, black polyester mesh and EVA insock, PU/rubber sole, lace up closure, sewn with nylon thread, available in size range: EU 37-47;
- c) Safetoe (logo) M-8577YE safety half knee boot, design C, comprising of yellow cow leather upper, yellow polyester oxford mesh collar and tongue, MR459 steel toecap, A01(CODE 2656) steel plate penetration resistance insert, yellow TPU scuff cap, black polyester sandwich mesh vamp lining, quarter lining, counter lining, collar lining and tongue lining, polyester non-woven insole, black polyester mesh and EVA insock, PU/rubber sole, lace up closure, sewn with nylon thread, available in size range: EU 37-47;
- d) Safetoe (logo) M-8025NBKLG safety ankle boot, design B, comprising of black cow leather upper, black nylon elastic band upper insert, black polyester oxford mesh collar and collar lining, MR459 steel toecap, A01(CODE 2656) steel plate penetration resistance insert, black TPU scuff cap, black polyester sandwich mesh vamp lining, quarter lining and counter lining, polyester non-woven insole, black polyester mesh and EVA insock, PU/rubber sole, slip on closure, sewn with nylon thread, available in size range: EU 37-47;
- e) Safetoe (logo) M-8025NBLG safety ankle boot, design B, comprising of brown cow leather upper, brown nylon elastic band upper insert, black polyester oxford mesh collar and collar lining, MR459 steel toecap, A01(CODE 2656) steel plate penetration resistance insert, black TPU scuff cap, black polyester sandwich mesh vamp lining, quarter lining and counter lining, polyester non-woven insole, black polyester mesh and EVA insock, PU/rubber sole, slip on closure, sewn with nylon thread, available in size range: EU 37-47;
- f) Safetoe (logo) M-8025NBYLG safety ankle boot, design B, comprising of yellow cow leather upper, brown nylon elastic band upper insert, black polyester oxford mesh collar and collar lining, MR459 steel toecap, A01(CODE 2656) steel plate penetration resistance insert, yellow TPU scuff cap, black polyester sandwich mesh vamp lining, quarter lining and counter lining, polyester non-woven insole, black polyester mesh and EVA insock, PU/rubber sole, slip on closure, sewn with nylon thread, available in size range: EU 37-47.

Contract No: GSL-CERT260600138-01.

Technical File: TF_ M-8577BK Series, Version 0, Dated: 2026-06-01.

Additional information (cont.)

Detailed Characteristics:

Classification: Class I;
 Closure System: a), b) & c) lace up, d), e) & f) slip on;
 Construction: Injection;
 Last Reference: 1701#;
 Mould Reference: LF-2329#;
 Size(s) Range: EU 37-47.

